

# "A Safe Space to Think About Grief": Reflecting on Bereavement Through Video Games and Experiential Metaphor

COLIN LEFEVRE and CHIA-FANG CHUNG, Informatics, Indiana University Bloomington, USA

Technology has the potential to support bereaved individuals in their grieving experience and, in turn, enhance their mental well-being. Using video games and the concept of experiential metaphor as an example, we designed and are conducting a qualitative study to investigate how interactive technology design supports individuals to reflect on their grieving experience. We aim to generate design recommendations for bereavement-focused systems and artifacts that promote mental health and well-being.

## ACM Reference Format:

Colin LeFevre and Chia-Fang Chung. 2023. "A Safe Space to Think About Grief": Reflecting on Bereavement Through Video Games and Experiential Metaphor. In *CHI '23: Workgroup on Interactive Systems in Health, April 23–28, 2023, Hamburg, Germany*. ACM, New York, NY, USA, 4 pages. <https://doi.org/XXXXXXXX.XXXXXXX>

## 1 INTRODUCTION & PAST WORK

Supporting the grieving experiences of bereaved individuals is important for their mental well-being. Bereavement can lead to longer-term psychiatric distress [3], and COVID-19 has further exacerbated these challenges faced by grieving individuals [11, 14, 21]. Technology can support these mental health challenges [5, 6, 9, 20], and recent work has offered design implications for these supportive technologies [1, 4, 15]. However, more work is needed to elucidate how technology can effectively support the unique, individualized experience of the bereaved.

Video games are one example of supportive technologies where immersive interactions could support bereaved individuals in their grieving experience. Video games have been identified as a method of coping with grief [10, 16, 17], and as a catalyst for personal reflection on bereavement [7, 13]. We are interested in examining the support offered by video games, and understanding its implications for the design of bereavement-focused systems and artifacts.

In this research, we are particularly interested in exploring the concept of experiential metaphor [18]. Experiential metaphor is a novel, emerging aspect of these grief-focused games, which argues that games can provide moments onto which players can "project" their personal experiences. The player recognizes an in-game experience as similar to a personal experience [2] and interprets that in-game experience through the lens of their similar personal experience. This individualized interpretation supports comprehension, engagement, and meaning-making while playing [2, 18, 19]. The concept has been explicitly applied to grief-focused games to encourage bereavement meaning-making [12]; its implicit themes of projection and interpretation are also present in past work on grief-focused games [7, 13, 17]. We see experiential metaphor as potentially offering insights into the design of interactive systems and artifacts supporting the mental well-being of bereaved individuals.

---

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

© 2023 Association for Computing Machinery.

Manuscript submitted to ACM

## 2 METHODS

We designed and are currently conducting a qualitative diary and interview study, approved by Indiana University's Institutional Review Board (#15813). We are investigating how experiential metaphor supports bereaved individuals in interacting with the grief-focused video game, *GRIS*, and in reflecting on their personal experiences. While designing our study, we consulted with an experienced Death Studies researcher (refer to Acknowledgements).

### 2.1 Study Activities

In our finalized study design, participants complete three activities:

- (1) An initial 30-45 minute interview, in which we discuss their previous bereavement experiences
- (2) An independent play-through of the video game *GRIS*, during which they complete six diaries on their experiences playing the game
- (3) A follow-up 30-45 minute interview, in which we discuss their experiences playing through the game

For each activity listed, participants are compensated \$10, \$15, and \$10 USD respectively. For activity 2 specifically, we provide participants with a temporary copy of *GRIS*.

### 2.2 Eligibility & Recruitment

Individuals are eligible to participate in the study if they experienced bereavement, defined as a "significant loss of a loved one", 2-8 years ago. We established the 2-8 years criterion for both practical and ethical reasons. Losses further than eight years could be too far removed to generate actionable insights; losses sooner than two years could call for more emotional support than we are qualified to give our participants. We allow case-by-case exceptions for losses sooner than two years.

We recruit participants through All-In-4-Health, a volunteer registry for research studies conducted by academic institutions within the state of Indiana. All of our participants, therefore, are current residents of the US state of Indiana. Interested individuals take our screening survey and are contacted via email if eligible.

### 2.3 Ethical Considerations

We included several ethical considerations in our study design to be mindful of working with bereaved individuals.

- In recruitment materials and interviews, we emphasize that we are researchers, **not** licensed therapists, and that study participation is not equivalent to grief counseling, therapy, etc.
- When participants are enrolled in the study, they receive a list of bereavement support resources via email; during their independent play-through, they additionally receive weekly check-ins via email.
- If diary entries / weekly check-ins suggest that activities are negatively impacting a participant's mental health, we pause their participation and encourage them to seek counseling support.

### 2.4 Video Game Selection

For study activities, we selected *GRIS*<sup>1</sup>, a 2019 2D platform-adventure game by Nomada Studio<sup>2</sup>. *GRIS* tells the story of Gris, a young woman who has lost her mother. Its goal, as described by its developers [8], is empowering the player to project their experiences onto Gris' experiences and create their own meanings. Because the game's narrative focuses

<sup>1</sup><https://store.steampowered.com/app/683320/GRIS/>

<sup>2</sup><https://nomada.studio>

on personal loss and its goal strongly aligns with the concept of experiential metaphor, we saw the game as an excellent fit for our study.

### 3 EARLY FINDINGS

As of submission, five participants (refer to Table 1) have completed our study. Though we continue to recruit, we present some early findings from these participants.

ID #	Age (yrs)	Gender	Ethnicity	Loss Gap (yrs)	Diaries	Difficulty Playing
3	34	Female	White	3	1/6	High
4	29	Female	White	3	6/6	Moderate
5	26	Male	Latino	5	6/6	Low
6	34	Female	Latino	2	6/6	Moderate
7	27	Male	White	3	6/6	Low

Table 1. Completed participants' self-reported demographic and study-related information

#### 3.1 Projection of Personal Experiences

Participants who completed all six diaries (P4, P5, P6, and P7) all reported projecting their personal experiences onto the character of Gris. Participant 4 recounted how she *"was able to relate to [Gris' journey] a lot,"* noting that for both her and Gris' grief, *"everywhere you turn, there's no right path"*. Participant 5 described how the character's personality reminded him of his own: just as Gris needed *"to grow...to achieve new things,"* he had to *"take what [he had] to grow."* Participant 6 felt that Gris' bereavement struggles represented her own. The *"very tough, tough moment[s]"* where *"she was lost"* seemed connected to the *"different stages"* that P6 experienced when bereaved. And Participant 7 saw Gris' recovery of her voice (a "power" within the game) as mirroring his own temporary loss of self when bereaved: *"it did remind me... I really just wasn't myself for a long time after [my loss]."*

#### 3.2 Opportunities for Personal Reflection

Participants' projections led to opportunities for personal reflection. While considering how both she and Gris had felt lost, Participant 4 reported realizing that *"when it comes to my family, when it comes to myself, it's like I don't have any [coping skills]"*. Following the finale in which Gris faces herself, Participant 7 described realizing, *"I was holding myself back from being able to move on."* And while considering how Gris faces adversity, Participant 5 reflected that *"every time we face a difficult time, it seems to be the first time ever"*. Participant 7 more broadly described the experience of comparing herself to Gris as *"a very safe way to think of my own grief,"* noting *"it was kind of like I have a guidance."*

### 4 FUTURE WORK

We plan to complete our study, aiming for 9-12 total participants, and more thoroughly analyse our interview data via qualitative coding. We also plan to more thoroughly explore past HCI and health literature on designing for the bereaved and reflection. Our analytical goals are to understand how our participants engage with experiential metaphor and how their reflection on past experiences can be applied to bereavement-focused design.

## 5 ACKNOWLEDGEMENTS

We thank Dr. Kathleen Gilbert for her consultation on the design of this study, and our study's participants for their time and authenticity. This project was supported in part by the National Science Foundation (Sup).

## REFERENCES

- [1] Nazanin Andalibi, Gabriela Marcu, Tim Moesgen, Andrea Forte, and Rebecca Mullin. 2018. Not alone: Designing for self-disclosure and social support exchange after pregnancy loss. *Conference on Human Factors in Computing Systems - Proceedings* 2018-April (4 2018). <https://doi.org/10.1145/3170427.3188473>
- [2] Jason Begy. 2011. Experiential metaphors in abstract games. *Proceedings of DiGRA 2011 Conference: Think Design Play* 1. Issue 1. <https://doi.org/10.26503/todigra.v1i1.3>
- [3] Lauren J. Breen and Moira O'Connor. 2007. The Fundamental Paradox in the Grief Literature: A Critical Reflection. *OMEGA - Journal of Death and Dying* 55 (10 2007), 199–218. Issue 3. <https://doi.org/10.2190/OM.55.3.c>
- [4] Jed R. Brubaker, Gillian R. Hayes, and Melissa Mazmanian. 2019. Orienting to networked grief: Situated perspectives of communal mourning on Facebook. *Proceedings of the ACM on Human-Computer Interaction* 3 (11 2019). Issue CSCW. <https://doi.org/10.1145/3359129>
- [5] Eleanor R. Burgess, Alice Renwen Zhang, Jessica L. Feuston, Madhu C. Reddy, Sindhu Kiranmai Ernala, Munmun De Choudhury, Stephen Schueller, Adrian Aguilera, and Mary Czerwinski. 2020. Technology ecosystems: Rethinking resources for mental health. *Conference on Human Factors in Computing Systems - Proceedings* (4 2020). <https://doi.org/10.1145/3334480.3375166>
- [6] Rafael A. Calvo, Karthik Dinakar, Rosalind Picard, and Pattie Maes. 2016. Computing in mental health. *Conference on Human Factors in Computing Systems - Proceedings* 07-12-May-2016 (5 2016), 3438–3445. <https://doi.org/10.1145/2851581.2856463>
- [7] Luca Chittaro and Riccardo Sioni. 2018. Existential video games: Proposal and evaluation of an interactive reflection about death. *Entertainment Computing* 26 (5 2018), 59–77. <https://doi.org/10.1016/j.entcom.2018.01.004>
- [8] Adrián Cuevas. 2019. The Creativity Process behind GRIS. *CHI PLAY '19*, 3–3. <https://doi.org/10.1145/3311350.3357717>
- [9] Gavin Doherty, John Sharry, Magnus Bang, Mariano Alcañiz, and Rosa Baños. 2008. Technology in mental health. *Conference on Human Factors in Computing Systems - Proceedings* (2008), 3965–3968. <https://doi.org/10.1145/1358628.1358968>
- [10] Karam Eum, Valérie Erb, Subin Lin, Sungpil Wang, and Young Yim Yim Doh. 2021. How the Death-themed Game Spiritfarer Can Help Players Cope with the Loss of a Loved One. *Conference on Human Factors in Computing Systems - Proceedings*. <https://doi.org/10.1145/3411763.3451608>
- [11] Joseph S. Goveas and M. Katherine Shear. 2020. Grief and the COVID-19 Pandemic in Older Adults. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry* 28 (10 2020), 1119–1125. Issue 10. <https://doi.org/10.1016/J.JAGP.2020.06.021>
- [12] Sabine Harrer. 2018. *Games and Bereavement: How Video Games Represent Attachment, Loss, and Grief*. Transcript Verlag. <http://library.oapen.org/handle/20.500.12657/25213>
- [13] Sabine Harrer and Henrik Schoenau-Fog. 2015. Inviting grief into games: The game design process as personal dialogue. *DiGRA 2015 - Proceedings of the 2015 DiGRA International Conference: Diversity of Play*.
- [14] Iona Heath. 2020. COVID-19 and the legacy of grief. *The British journal of general practice : the journal of the Royal College of General Practitioners* 70 (9 2020), 428. Issue 698. <https://doi.org/10.3399/bjgp20X712181>
- [15] Fabian Hemmert, Alexander Görts, Jana Horst, So Jeong Park, and Tom Sion. 2022. Life-Death Interfaces: Tangible Ways of Legacy-Making, Grief, and Remembrance. *ACM International Conference Proceeding Series* 22 (9 2022), 323–327. <https://doi.org/10.1145/3543758.3547533>
- [16] Ioanna Iacovides and Elisa D. Mekler. 2019. The role of gaming during difficult life experiences. *Conference on Human Factors in Computing Systems - Proceedings* (5 2019). <https://doi.org/10.1145/3290605.3300453>
- [17] Beverley Foulks McGuire. 2020. Gaming and grieving: Digital games as means of confronting and coping with death. *Journal of Religion, Media and Digital Culture* 9 (12 2020), 326–346. Issue 3. <https://doi.org/10.1163/21659214-BJA10014>
- [18] Doris C Rusch. 2009. Mechanisms of the soul - tackling the human condition in videogames. *Breaking New Ground: Innovation in Games, Play, Practice and Theory - Proceedings of DiGRA 2009*.
- [19] Doris C. Rusch. 2017. *Making deep games: Designing games with meaning and purpose*. CRC Press. 1–197 pages. <https://doi.org/10.1201/9781315748986>
- [20] T. K. Srikanth, Girish N. Rao, Rajani Parthasarathy, Divya Raj, Suresh Bada Math, Seema Mehrotra, Jagadisha Tirthahalli, Naveen C. Kumar, Paulomi Sudhir, and Deepak Jayarajan. 2021. Leveraging technology to improve quality of mental health care in Karnataka. *ACM International Conference Proceeding Series* (6 2021), 107–114. <https://doi.org/10.1145/3462741.3466652>
- [21] Yusen Zhai and Xue Du. 2020. Loss and grief amidst COVID-19: A path to adaptation and resilience. *Brain, behavior, and immunity* 87 (7 2020), 80–81. <https://doi.org/10.1016/J.BBI.2020.04.053>